


The background is a vibrant, abstract composition of horizontal bands. The top half features warm tones of yellow, orange, and red, with some bands having a fine, grid-like texture. The middle section is dominated by a solid, deep red band where the main text is located. Below this, there are bands of blue, teal, and green, also some with textures. The bottom of the image transitions into darker shades of green and blue. The overall effect is a modern, layered, and colorful visual field.





not crazy.

MODERN COLOURS

Kreative Farbtrends für besondere Wohnakzente. | Creatieve kleurtrends voor bijzondere woonaccenten.
Creative colour trends for exquisite design tastes. | Tendances créatives de couleurs pour un habitat aux accents particuliers.


Dessins *not crazy.*

Dessins *not crazy.* | *not crazy.* patterns | Motifs *not crazy.*

		Page			Page			Page
	A 3-830*	34		P 6-421	40		A 3-723	46
	A 3-831	34		P 6-396	40		A 3-852	46
	A 3-832	34		A 3-840	40		A 3-853	46
	P 6-390	34		A 3-598	40		A 3-854	46
	A 4-771	35		A 3-841	41		A 3-801	47
	A 3-833	35		A 4-776	41		A 3-855	47
	A 4-772	35		P 6-335	41		A 3-856	47
	A 4-208	35		P 6-397	41		A 3-857	47
	A 4-228	36		A 3-842	42		A 3-858	48
	P 6-391	36		A 3-843	42		P 6-402	48
	A 3-834	36		A 3-725	42		A 3-859	48
	P 6-392	36		A 3-844	42		A 3-860	48
	P 6-393	37		A 3-845	43		P 6-403	49
	A 3-835	37		A 4-777	43		P 6-404	49
	A 3-836	37		A 3-846	43		P 6-405	49
	P 6-394	37		P 6-398	43		A 4-779	49
	A 3-837	38		P 6-399	44		A 3-861	50
	A 4-977	38		P 6-400	44		A 3-862	50
	A 4-296	38		P 6-401	44		A 3-863	50
	A 4-773	38		A 3-847	44		A 3-864	50
	A 4-774	39		A 3-848	45		A 3-865	51
	A 4-775	39		A 3-849	45		A 3-866	51
	P 6-395	39		A 4-778	45			
	A 3-838	39		A 3-850	45			

Standardbreite: 120 cm | Standaardbreedte: 120 cm | Standard roll width: 120 cm | Largeur standard : 120 cm

*Auch in 240 cm (Breitware) erhältlich | *Ook in 240 cm (brede artikelen) leverbaar | *Also available in 240 cm roll width (extra wide fabrics) | *Disponible également en 240 cm (grande largeur)




100 %

A | 3-830-240  120 cm | 240 cm  Perluca  45

Empfehlung | Aanbeveling | Recommendation | Recommandation

 no. 3  no. 32  3-830-240; screens by weinor®  WT 029/10797; RAL 1015; WT 029/90147




100 %

A | 3-831  120 cm  50+

Empfehlung | Aanbeveling | Recommendation | Recommandation

 no. 3  no. 32  3-831; screens by weinor®  WT 029/10797; RAL 1015; WT 029/90147




100 %

A | 3-832  120 cm  50+

Empfehlung | Aanbeveling | Recommendation | Recommandation

 no. 3  no. 32  3-832; screens by weinor®  RAL 1015; WT 029/60740; WT 029/80081




100 %

P | 6-390  120 cm  50+

Empfehlung | Aanbeveling | Recommendation | Recommandation

 no. 3  no. 32  6-390; screens by weinor®  WT 029/10797; RAL 1015; WT 029/90147




50 %

A|4-771  120 cm  ca. 30 cm  UPF 50+

Empfehlung | Aanbeveling | Recommendation | Recommendation

 no. 3  no. 32  3-831; screens by weinor®  WT 029/10797; RAL 1015; WT 029/90147




60 %

A|3-833  120 cm  ca. 20 cm  UPF 50+

Empfehlung | Aanbeveling | Recommendation | Recommendation

 no. 3  no. 32  3-830-240; screens by weinor®  WT 029/90146; WT 029/90147; WT 029/80081




50 %

A|4-772  120 cm  ca. 30 cm  UPF 50+

Empfehlung | Aanbeveling | Recommendation | Recommendation

 no. 3  no. 79  3-830-240; screens by weinor®  WT 029/10797; WT 029/90147; WT 029/80077




50 %

A|4-208  120 cm  ca. 30 cm  UPF 50+

Empfehlung | Aanbeveling | Recommendation | Recommendation

 no. 3  no. 18  3-509-240; screens by weinor®  WT 029/10797; WT 029/90146; WT 029/90147



50 %

A|4-228



120 cm



ca. 30 cm



UPF 50+

Empfehlung | Aanbeveling | Recommendation | Recommandation



no. 3




no. 18



3-509-240;
screens by weinor®



WT 029/90146; RAL 1003;
WT 029/70786



100 %

P|6-391



120 cm



UPF 50+

Empfehlung | Aanbeveling | Recommendation | Recommandation



no. 3




no. 54



6-392;
screens by weinor®



WT 029/10797; WT 029/90147;
WT 029/80077



100 %

A|3-834



120 cm



UPF 50+

Empfehlung | Aanbeveling | Recommendation | Recommandation



no. 3




no. 54



3-834;
screens by weinor®



WT 029/10797; WT 029/70786;
WT 029/71289



100 %

P|6-392



120 cm



UPF 50+

Empfehlung | Aanbeveling | Recommendation | Recommandation



no. 3




no. 54



6-392;
screens by weinor®



WT 029/10797; WT 029/90147;
WT 029/80077




P|6-393

120 cm 50+

Empfehlung | Aanbeveling | Recommendation | Recommandation

no. 3 no. 32 6-394; screens by weinor® WT 029/90146; WT 029/90147; WT 029/80081




A|3-835

120 cm ca. 24 cm 50+

Empfehlung | Aanbeveling | Recommendation | Recommandation

no. 3 no. 54 6-392; screens by weinor® WT 029/70786; WT 029/60740; WT 029/71289



A|3-836

120 cm 50+

Empfehlung | Aanbeveling | Recommendation | Recommandation

no. 3 no. 79 3-836; screens by weinor® WT 029/10797; WT 029/70786; WT 029/71289



P|6-394

120 cm 50+

Empfehlung | Aanbeveling | Recommendation | Recommandation

no. 3 no. 32 6-394; screens by weinor® WT 029/90146; WT 029/90147; WT 029/80081




100 %

A|3-837  120 cm  50+

Empfehlung | Aanbeveling | Recommendation | Recommandation

 no. 3  no. 81  3-837; screens by weinor®  WT 029/70786; WT 029/80081; WT 029/71289




50 %

A|4-977  120 cm  ca. 30 cm  50+

Empfehlung | Aanbeveling | Recommendation | Recommandation

 no. 3  no. 81  3-834; screens by weinor®  WT 029/90146; WT 029/70786; WT 029/71289




50 %

A|4-296  120 cm  ca. 30 cm  50+

Empfehlung | Aanbeveling | Recommendation | Recommandation

 no. 3  no. 86  6-394; screens by weinor®  WT 029/10797; WT 029/90147; WT 029/80077




50 %

A|4-773  120 cm  ca. 30 cm  50+

Empfehlung | Aanbeveling | Recommendation | Recommandation

 no. 3  no. 79  3-834; screens by weinor®  WT 029/10797; WT 029/70786; WT 029/71289




50 %

A | 4-774  120 cm  ca. 30 cm  UPF 50+

Empfehlung | Aanbeveling | Recommendation | Recommandation

 no. 3  no. 79  3-834; screens by weinor®  WT 029/10797; WT 029/70786; WT 029/71289




50 %

A | 4-775  120 cm  ca. 30 cm  UPF 50+

Empfehlung | Aanbeveling | Recommendation | Recommandation

 no. 3  no. 79  3-716; screens by weinor®  WT 029/10797; WT 029/90147; WT 029/80077




50 %

P | 6-395  120 cm  ca. 40 cm  UPF 50+

Empfehlung | Aanbeveling | Recommendation | Recommandation

 no. 3  no. 79  6-392; screens by weinor®  RAL 1015; WT 029/90147; WT 029/60740




100 %

A | 3-838  120 cm  UPF 50+

Empfehlung | Aanbeveling | Recommendation | Recommandation


 no. 3  no. 84  3-838; screens by weinor®  WT 029/10797; WT 029/80077; WT 029/71289



P|6-421  120 cm  50+

Empfehlung | Aanbeveling | Recommendation | Recommandation


 no. 3  no. 54  6-421; screens by weinor®  WT 029/10797; WT 029/80077; WT 029/71289



P|6-396  120 cm  50+

Empfehlung | Aanbeveling | Recommendation | Recommandation

 no. 3  no. 25  6-421; screens by weinor®  WT 029/10797; WT 029/80077; WT 029/71289



A|3-840  120 cm  ca. 24 cm  50+

Empfehlung | Aanbeveling | Recommendation | Recommandation



 no. 3  no. 84  3-841; screens by weinor®  WT 029/10797; WT 029/80077; WT 029/71289



A|3-598  120 cm  50+

Empfehlung | Aanbeveling | Recommendation | Recommandation

 no. 3  no. 85  3-598; screens by weinor®  WT 029/70786; WT 029/80077; WT 029/71289





100 %

A | 3-841  120 cm  50+

Empfehlung | Aanbeveling | Recommendation | Recommandation

 no. 3  no. 84  3-841;  screens by weinor®  WT 029/10797; WT 029/80077; WT 029/71289



100 %

A | 4-776  120 cm  ca. 30 cm  50+

Empfehlung | Aanbeveling | Recommendation | Recommandation

 no. 3  no. 84  3-841;  screens by weinor®  WT 029/10797; WT 029/80077; WT 029/71289



100 %

P | 6-335  120 cm  50+

Empfehlung | Aanbeveling | Recommendation | Recommandation

 no. 3  no. 85  6-335;  screens by weinor®  WT 029/70786; WT 029/80077; WT 029/71289




100 %

P | 6-397  120 cm  50+

Empfehlung | Aanbeveling | Recommendation | Recommandation


 no. 3  no. 85  6-397;  screens by weinor®  WT 029/10797; WT 029/90146; WT 029/80077



A | 3-842  120 cm  50+

Empfehlung | Aanbeveling | Recommendation | Recommandation


 no. 3  no. 86  3-842; screens by weinor®  WT 029/80077; WT 029/71289; WT 029/80081



A | 3-843  120 cm  50+

Empfehlung | Aanbeveling | Recommendation | Recommandation


 no. 3  no. 86  3-843; screens by weinor®  WT 029/90146; WT 029/90147; WT 029/80077



A | 3-725  120 cm  50+

Empfehlung | Aanbeveling | Recommendation | Recommandation


 no. 3  no. 91  3-725; screens by weinor®  WT 029/90146; WT 029/90147; WT 029/71289



A | 3-844  120 cm  50+

Empfehlung | Aanbeveling | Recommendation | Recommandation


 no. 3  no. 86  3-844; screens by weinor®  WT 029/90146; WT 029/90147; WT 029/80077



A|3-845  120 cm  ca. 20 cm  50+

Empfehlung | Aanbeveling | Recommendation | Recommandation


 no. 3  no. 86  3-843; screens by weinor®  WT 029/90146; WT 029/90147; WT 029/80077



A|4-777  120 cm  ca. 30 cm  50+

Empfehlung | Aanbeveling | Recommendation | Recommandation


 no. 3  no. 86  3-843; screens by weinor®  WT 029/90146; WT 029/90147; WT 029/80077



A|3-846  120 cm  50+

Empfehlung | Aanbeveling | Recommendation | Recommandation


 no. 3  no. 97  3-846; screens by weinor®  WT 029/70786; WT 029/80077; WT 029/71289



P|6-398  120 cm  50+

Empfehlung | Aanbeveling | Recommendation | Recommandation

 no. 3  no. 441  6-398; screens by weinor®  WT 029/71289; WT 029/10797; RAL 5024



100 %

P | 6-399



120 cm



50+

Empfehlung | Aanbeveling | Recommendation | Recommandation



no. 3




no. 62



6-399;
screens by weinor®



WT 029/90147; WT 029/70786;
WT 029/80081



100 %

P | 6-400



120 cm



50+

Empfehlung | Aanbeveling | Recommendation | Recommandation



no. 3



no. 75



6-400;
screens by weinor®



WT 029/71289; WT 029/80077;
WT 029/90147



100 %

P | 6-401



120 cm



50+

Empfehlung | Aanbeveling | Recommendation | Recommandation



no. 3



no. 62



6-399;
screens by weinor®



WT 029/90146; WT 029/90147;
WT 029/80081



100 %

A | 3-847



120 cm



50+

Empfehlung | Aanbeveling | Recommendation | Recommandation



no. 3




no. 62



3-847;
screens by weinor®



WT 029/10797; WT 029/90146;
WT 029/70786




100 %

A | 3-848  120 cm  50+

Empfehlung | Aanbeveling | Recommendation | Recommandation

 no. 3  no. 62  3-848; screens by weinor®  WT 029/90147; WT 029/70786; WT 029/80081




100 %

A | 3-849  120 cm  45

Empfehlung | Aanbeveling | Recommendation | Recommandation

 no. 3  no. 62  3-849; screens by weinor®  WT 029/10797; WT 029/90146; WT 029/90147



50 %

A | 4-778  120 cm  ca. 30 cm  50

Empfehlung | Aanbeveling | Recommendation | Recommandation

 no. 3  no. 62  3-847; screens by weinor®  WT 029/10797; WT 029/70786; WT 029/80081




100 %

A | 3-850  120 cm  50+

Empfehlung | Aanbeveling | Recommendation | Recommandation

 no. 3  no. 71  3-850; screens by weinor®  WT 029/90146; WT 029/71289; RAL 7021




100 %

A|3-723  120 cm  50+

Empfehlung | Aanbeveling | Recommendation | Recommandation

 no. 3  no. 75  3-723; screens by weinor®  WT 029/80081; WT 029/71289; WT 029/70786



100 %

A|3-852  120 cm  50+

Empfehlung | Aanbeveling | Recommendation | Recommandation

 no. 3  no. 8  3-852; screens by weinor®  WT 029/10797; WT 029/70786; WT 029/71289




100 %

A|3-853  120 cm  50+

Empfehlung | Aanbeveling | Recommendation | Recommandation

 no. 3  no. 5  3-853; screens by weinor®  WT 029/70786; WT 029/71289; WT 029/80081




100 %

A|3-854  120 cm  50+

Empfehlung | Aanbeveling | Recommendation | Recommandation

 no. 3  no. 926  3-854; screens by weinor®  WT 029/10797; WT 029/80081; WT 029/71289



100 %

A | 3-801  120 cm  50+

Empfehlung | Aanbeveling | Recommendation | Recommandation

 no. 3  no. 11  3-801; screens by weinor®  RAL 1015; WT 029/90147; WT 029/50704




100 %

A | 3-855  120 cm  50+

Empfehlung | Aanbeveling | Recommendation | Recommandation

 no. 3  no. 7  3-855; screens by weinor®  RAL 7032; WT 029/90146; WT 029/50704



100 %

A | 3-856  120 cm  50+

Empfehlung | Aanbeveling | Recommendation | Recommandation

 no. 3  no. 5  3-856; screens by weinor®  WT 029/70786; WT 029/71289; WT 029/80081




60 %

A | 3-857  120 cm  ca. 24 cm  50+

Empfehlung | Aanbeveling | Recommendation | Recommandation


 no. 3  no. 7  3-708-240; screens by weinor®  WT 029/10797; WT 029/90146; WT 029/50704



A|3-858  120 cm  50+

Empfehlung | Aanbeveling | Recommendation | Recommandation


 no. 3  no. 5  3-858; screens by weinor®  RAL 7039; WT 029/50704; WT 029/80077



P|6-402  120 cm  50+

Empfehlung | Aanbeveling | Recommendation | Recommandation


 no. 3  no. 5  6-402; screens by weinor®  RAL 1015; WT 029/90146; WT 029/80077



A|3-859  120 cm  50+

Empfehlung | Aanbeveling | Recommendation | Recommandation


 no. 3  no. 44  3-859; screens by weinor®  WT 029/90146; WT 029/80077; WT 029/80081



A|3-860  120 cm  50+

Empfehlung | Aanbeveling | Recommendation | Recommandation


 no. 3  no. 44  3-860; screens by weinor®  WT 029/90146; WT 029/80077; WT 029/80081



P | 6-403  120 cm  50+

Empfehlung | Aanbeveling | Recommendation | Recommandation


 no. 3  no. 42  6-403; screens by weinor®  WT 029/70786; WT 029/50704; WT 029/80081



P | 6-405  120 cm  50+

Empfehlung | Aanbeveling | Recommendation | Recommandation


 no. 3  no. 42  6-405; screens by weinor®  WT 029/90146; WT 029/71289; WT 029/50704



P | 6-404  120 cm  50+

Empfehlung | Aanbeveling | Recommendation | Recommandation


 no. 3  no. 7  6-403; screens by weinor®  RAL 1015; WT 029/90147; WT 029/80077



A | 4-779  120 cm  ca. 30 cm  50+

Empfehlung | Aanbeveling | Recommendation | Recommandation


 no. 3  no. 44  3-860; screens by weinor®  RAL 1015; WT 029/90146; WT 029/80077



A|3-861  120 cm  ca. 20 cm  UPF 40

Empfehlung | Aanbeveling | Recommendation | Recommandation


 no. 3  no. 32  3-515; screens by weinor®  WT 029/10797; WT 029/90146; WT 029/80077



A|3-862  120 cm  ca. 20 cm  UPF 40

Empfehlung | Aanbeveling | Recommendation | Recommandation


 no. 3  no. 82  3-515; screens by weinor®  WT 029/10797; WT 029/90146; WT 029/80077



A|3-863  120 cm  ca. 20 cm  UPF 40

Empfehlung | Aanbeveling | Recommendation | Recommandation


 no. 3  no. 5  3-515; screens by weinor®  WT 029/10797; WT 029/90146; WT 029/80077



A|3-864  120 cm  ca. 20 cm  UPF 40

Empfehlung | Aanbeveling | Recommendation | Recommandation

 no. 3  no. 62  3-515; screens by weinor®  WT 029/10797; WT 029/90146; WT 029/80077



A | 3-865



120 cm



ca. 20 cm



40

Empfehlung | Aanbeveling | Recommendation | Recommandation



no. 3




no. 94



3-515;
screens by weinor®



WT 029/10797; WT 029/60740;
WT 029/80077



A | 3-866



120 cm



ca. 20 cm



40

Empfehlung | Aanbeveling | Recommendation | Recommandation



no. 3



no. 19



3-515;
screens by weinor®



WT 029/10797; WT 029/80081;
WT 029/80077