



EXTERNAL PRODUCT RANGE

Bring indoor entertaining outdoors




WATSON
CURTAINS | BLINDS | AWNINGS | SHUTTERS



Our People

From just two people in 1968, Watson is now home to over **150 locals**. Team members like Deb and Ange, have between them worked with us for **nearly 50 years**.

Our people are the heartbeat of our business and we'd never be where we are today without their loyalty and dedication.



It's been an absolute pleasure to serve the people of Canberra and surrounding regions for over 50 years. Being given the opportunity to provide tailor-made window covering solutions for generations of Canberra families has been so fulfilling, and watching the change in trends and technology has kept the work exciting to this day. The team at Watson Blinds & Awnings would like to thank all of our valued customers; I hope we can continue providing top-quality products and service for many more years to come.

John & Pat Watson

FOUNDERS

Why Watson?

- ✓ Highest Rated Window Furnishings Team By 1000's Of Customers Online
- ✓ One of The Region's Only Local Factories
- ✓ Full Control Of The Quality We Produce
- ✓ Unmatched Prices For Local Quality With Options To Suit All Tastes And Budgets
- ✓ Lifetime Warranties On All The Products We Manufacture



PRODUCT  REVIEW
COM.AU


★★★★★ 4.8



Welcome to the Future

Controlling Your Window Furnishings Has Never Been This Convenient

Welcome to the future of convenience and sophistication in home automation! At Watson, we pride ourselves on offering cutting-edge motorisation solutions that elevate the way you interact with your blinds and awnings. Say goodbye to manual adjustments and embrace a seamless, technologically advanced lifestyle featuring the world's top brands: Somfy, Acmeda, and Becker.



Our blinds are equipped with state-of-the-art sensors, allowing them to react to changing elements such as wind, motion, and sunlight. You can even control your blinds from the other side of the world, ensuring your window furnishings are tailored to your preferences.

Choose from Wirefree, Remote and Hardwired options - even able to talk to your building management system.

Features and Benefits:

- ✓ Blinds/ awnings will raise or lower/ open or close based on location for precise and automatic light control
- ✓ Additional scenes and timers to establish custom schedules and set timers
- ✓ Voice-activated shade control
- ✓ Sophisticated shade control straight from any iOS or Android smartphone or tablet
- ✓ Group shades by room or scene



Voice Control:

Transform your living space with the power of your voice. Our motorisation systems are compatible with popular voice assistants like Amazon Alexa and Google Assistant. Simply command, and watch as your blinds gracefully respond, creating the perfect ambience with just a few words.



Home Automation Integration:

Experience the ultimate in smart living by seamlessly integrating our motorisation solutions with your home automation system, offering unparalleled control through popular platforms such as Google Home, Alexa, and Apple Homekit.

Our products seamlessly blend into your existing smart home ecosystem, so you can enjoy centralised control and create customised scenarios to suit your lifestyle.



Remote Controls:

Embrace the freedom of control from anywhere in your home. Our compact and stylish remote controls put the power of adjustment in the palm of your hand. Effortlessly operate your blinds and awnings with precision, ensuring your environment matches your mood and needs at all times.

Folding Arm Awnings

Best in European performance, designed for Australian weather conditions

The Watson Folding Arm Awning range features a variety of models that can be customised to suit your needs with a wide variety of sizes, operating options and functions.



WIND
RESISTANT



SUN/UV
PROTECTION



INSECT
RESISTANCE



LIFETIME PRODUCT
WARRANTY



PRIVACY



ANTI-GLARE

Size

Awnings are made to fit your exact width requirements and, depending on the model, come in a variety of projection options from as little as 1.5m to 4.0m when extended.

Design

Swedish, Danish, German and Aussie modular design simplifying both manufacturing and installation. User adjustable variable pitch on most models and an optional roller valance can provide additional shade and privacy.

Operation

A range of easy-to-use operating options are available across the range, from hand-crank operation to fully motorised solutions that can be controlled with the touch of a button as well as motion sensor.

Automation


We use European engineered motors from brands such as Somfy and Becker for our external products due to their superior suitability for the Australian elements. We don't skimp on cheap alternatives so that you can automate your products with hubs such as Amazon Alexa, Apple Homekit and Google Home. We also have a wide range of wind, sun, rain and motion sensors that can give you peace of mind to protect your products for longer.

Outdoor Safety

Features Dyneema® tape connection for stability and strength. For the ultimate in safety, select the optional motion sensor which will automatically detect when an awning should retract when wind reaches speed or detects rain.

Opening Doors

The Fabric-Beam model is specially designed to create ample clearance for opening doors with an additional support beam across the full width of the awning.



Malua Awning

Extend Your Living Areas In Shady Comfort

The **Malua Series** combines stylish componentry with a contemporary and functional folding arm awning design, covering spaces of all sizes, from tiny and narrow to wide expanses.

Based on a clever modular Swedish design, each awning has its own unique versatility. All Malua models are designed for easy installation directly onto external walls, with additional brackets available for under eaves or roof mounting.



Features and Benefits:

- ✓ Consists of six models
- ✓ Install directly onto outside walls, or eaves
- ✓ Stylish finishing touches
- ✓ Merges beautifully with the house
- ✓ External operation by manual crank or motorisation
- ✓ Internal motorised operation with optional sun and motion sensors

Malua Models



FA22 Piccolo

Width: 1.75m to 5.0m
Projection: 1.5m, 2.0m, 2.5m & 3.0m
Pitch: -5° to -45°

Perfect for small areas, this entry-level folding arm awning features compact and non-obtrusive components. A classic design in an elegant, open, roller style awning.



FA42 Classic

Width: 1.96m to 7.0m
Projection: 1.6m, 2.0m, 2.5m, 3.0m, 3.5m & 4.0m
Pitch: -5° to -45° Adjustable
Max width 6.0m at 4.0m projection



FA42 Classic

Width: 1.96m to 7.0m
Projection: 1.6m, 2.0m, 2.5m, 3.0m, 3.5m & 4.0m
Pitch: -5° to -45° Adjustable
Max width 6.0m at 4.0m projection



FA44 Design

Width: 1.99m to 7.0m
Projection: 1.6m, 2.0m, 2.5m, 3.0m, 3.5m & 4.0m
Pitch: -5° to -45° Adjustable
Max width 6.0m at 4.0m projection

Showcases quality European style with designer finishes, such as the pressure die cast end brackets.



FA46 Fabric

Width: 2.05m to 7.0m
Projection: 1.6m, 2.0m, 2.5m, 3.0m, 3.5m & 4.0m
Pitch: -5° to -45° Adjustable
Max width 6.0m at 4.0m projection



Features a fabric beam creating additional clearance under the inner part of the arm, allowing space for opening doors.

FA45 Cross-Over

Width: 1.13m to 4.6m
Projection: 1.6m, 2.0m, 2.5m, 3.0m, 3.5m & 4.0m
Ideal for: narrow spaces. It features cross-over arms enabling a larger projection on a narrow width awning, creating the same outdoor shade solution as offered by wider awnings.

FA48 Semi-Cassette

Width: 1.94m to 7.0m
Projection: 1.6m, 2.0m, 2.5m, 3.0m & 3.5m
Pitch: -5° to -40° Adjustable

A semi-enclosed model with compact styling. Available in a width of up to 7.0m in either crank or motorised control options, the semi-cassette design provides extra protection for the awning fabric when retracted.

Vincentia Awning

Where Shade Meets Style

The Vincentia awning has been designed with premium features and enhanced styling.

The semi-cassette awning profile provides maximum fabric protection by enclosing the awning when retracted, assisting to keep moisture, debris and dirt away from components.

The contemporary style of Vincentia provides a modern compact appearance, with pitch customisable at the time of installation allowing the awning to be set at the optimal angle for maximum sun protection.



Width: 1.96m to 7.0m

Projection: 1.6m, 2.0m, 2.5m, 3.0m, 3.5m & 4.0m

Pitch: 0° to -20°

Max width 6.0m at 4.0m projection

Features and Benefits:

- ✓ Easily and quickly set at any angle you prefer
- ✓ Fully retractable
- ✓ Semi-enclosed cassette
- ✓ Elegant, unobtrusive appearance
- ✓ Can be mounted onto walls, under ceilings or the roof
- ✓ Versatile solution for larger spaces

Culburra Awning

Superior Quality Sun Shade Solution

Featuring a full-cassette, fabric is enclosed within the awning when retracted, providing the ultimate protection from moisture, debris and dirt.

Both models feature a modular Swedish design, perfect for residential or commercial applications. Like the Vincentia, the awning pitch can be customised at the time of installation allowing the awning to be set at the optimal angle for maximum sun protection.

A Culburra XL model is available utilising heavy duty components to create a robust awning for applications up to 7.0 metres wide.



Culburra

Width: 2.15m to 5.0m

Projection: 2.0m, 2.5m, 3.0m & 3.5m

Pitch: -5° to -40°

Max width 6.0m at 4.0m projection

Culburra XL

Width: 2.3m to 7.0m

Projection: 2.0m, 2.5m, 3.0m, 3.5m & 4.0m

Pitch: -5° to -40°

Max width 6.0m at 4.0m projection


Features and Benefits:

- ✓ Full cassette
- ✓ Anti-corrosive and highly durable materials
- ✓ Standard motorised controls
- ✓ Swedish design
- ✓ Options for internal/ external hardwired/ remote control operation

Folding Arm Awnings


Tailor your outdoors

An array of additional options are available to customise your awning.




Telescopic Support

Allows the awning to be projected and secured in windy conditions by stabilising the front bar. Telescopic poles feature removable feet and front rail clips and collapse for easy storage when not in use.



Roller Valance

Create an additional front fabric drop for maximum shade protection. Partnered with sunscreen fabric, the valance can accommodate a drop of up to 1.0m and is operated by a manual crank.



Pitch Control

A range of -5° to -40° projection angle control is available on selected models. Operation is simple with our unique easy-tilt function allowing adjustment when the awning is projected.

Designer Hood

Partnering with the Malua range, the designer hood provides great fabric protection from external elements such as rain, assisting with fabric longevity.

Hardware Colour Range

The Watson Folding Arm Awning range is available in 3 colours.


Hardware finishes are engineered to withstand the harsh Australian climate with superior UV protection. Accessories are available in matching colours. Powdercoat option available.



White



Silver



Black



Focus on Australian Quality

With a focus on controlling quality, and manufacturing in Australia from the start, our blinds, curtains and awnings are still made in our own factories.

The latest being a state-of-the-art facility in Hume, ACT



TECHNICAL DATA

Compare the Malua, Vincentia and Culburra models to find the right solution for any outdoor space.

Malua				
	FA22 Piccolo	FA42 Classic	FA44 Design	FA45 Cross-Over
	Ideal for smaller spaces	Classic styling for larger spaces	A premium designer finish	Cross over arms enables a large projection in narrow spaces
Projection	1.5m, 2.0m, 2.5m, 3.0m	1.6m, 2.0m, 2.5m, 3.0m, 3.5m, 4.0m	1.6m, 2.0m, 2.5m, 3.0m, 3.5m, 4.0m	1.6m, 2.0m, 2.5m, 3.0m, 3.5m, 4.0m
Min. width	1.75m	1.96m	1.99m	1.13m
Max. width	5.0m per unit	7.0m per unit (Max. 6.0m at 4.0m projection)	7.0m per unit (Max. 6.0m at 4.0m projection)	4.6m per unit Series connection up to 15.0m
Pitch angle	-5° to -45° ¹	-5° to -45° ¹ Adjustable	-5° to -45° ¹ Adjustable	-
Wind Rating ²	Class 2 (Up to 38km/hr)	Class 2 (Up to 38km/hr)	Class 2 (Up to 38km/hr)	Class 2 (Up to 38km/hr)
Beaufort Scale Equivalent	5	5	5	5
Optional Accessories				
Motorisation	✓	✓	✓	✓
Pitch Control		✓	✓	
Roller Valance			✓	✓
Hood	✓	✓	✓	✓
Telescopic Support	✓	✓	✓	✓
Crank Handles	✓	✓	✓	✓

¹ Variable pitch angle applies only when the Pitch Control feature is added

² Under European Standard 'EN 13561 External blinds – Performance requirements including safety', the above Folding Arm Awning models will meet wind ratings of up to Class 2 – wind speed of up to 29-38km/hr (equivalent to 5 on Beaufort scale) – depending on model no. and size.

NOTE: These results will only be achieved provided the awning is built and installed with Turnils components according to the Manufacturer's specifications [as stated in the component book] and with a fabric according to the above standard.

It is recommended that all awnings be retracted during wet or windy conditions.

Refer to our manufacturer's guide for full limitations, width, projection and wind rating information.

³ Model features variable pitch that is set at the time of installation

Malua		Vincentia		Culburra	
FA46 Fabric-Beam	FA48 Semi-Cassette	FA58 Vincentia	Culburra	Culburra XL	
Fabric beam creates ample clearance for opening doors	Semi-enclosed compact style	Contemporary styling with near full-cassette look	Premium motorised full-cassette design	Extra Large premium motorised full-cassette design	
1.6m, 2.0m, 2.5m, 3.0m, 3.5m, 4.0m	1.6m, 2.0m, 2.5m, 3.0m, 3.5m, 4.0m	1.6m, 2.0m, 2.5m, 3.0m, 3.5m, 4.0m	2.0m, 2.5m, 3.0m, 3.5m	2.0m, 2.5m, 3.0m, 3.5m, 4.0m	
2.05m	1.94m	1.96m	2.15m	2.3m	
7.0m per unit (Max. 6.0m at 4.0m projection)	7.0m per unit (Max. 6.0m at 4.0m projection)	7.0m per unit (Max. 6.0m at 4.0m projection)	5.0m per unit	7.0m per unit (Max. 6.0m at 4.0m projection)	
Series connection up to 15.0m	Series connection up to 15.0m	Series connection up to 15.0m			
-5° to -45° ¹ Adjustable	-5° to -40° ¹ Adjustable	0° to -20° ¹	-5° to -40° ¹	-5° to -40° ¹	
Class 2 (Up to 38km/hr)	Class 2 (Up to 38km/hr)	Class 2 (Up to 38km/hr)	Class 2 (Up to 38km/hr)	Class 2 (Up to 38km/hr)	
5	5	5	5	5	
Optional Accessories					
✓	✓	Standard	Standard	Standard	
✓	✓	^	^	^	
✓	✓				
✓	✓	Standard	Standard	Standard	
✓	✓	✓			
✓					

The Beaufort Wind Scale

Wind Class	Wind Strength	Wind Speed [km/h]	Wind Speed [m/s]	Pressure [N/m ²]
0	1-3	≤ 19	≤ 5.3	<40
1	4	20-28	≤ 7.7	40
2	5	29-38	≤ 10.5	70
3	6	39-49	≤ 13.6	110

Awnings must be mounted with the correct number of installation brackets and with suitable fasteners in order to match the specified wind classes.

Supporting Local

At Watson, supporting local isn't just a tagline; it's woven into the fabric of who we are.

Proudly Australian-made, our commitment to supporting local is evident in every aspect of our business. From manufacturing blinds, curtains, and awnings in our own factory, to employing **over 150 skilled individuals from local communities**, giving back to local charities and sponsoring schools and clubs, we prioritise the growth and well-being of our local economy.

Our investment in Hume isn't just about a facility; **it's about nurturing a thriving local ecosystem**.



**When you choose Watson,
you choose more than a
product – you choose to
support and strengthen
the bonds of our local
communities.**

Sintesi Retractable Roof System


Create The Outdoor Room

Italian Designed

This Italian designed retractable roof incorporates an integrated rain gutter and downpipe system, fitted discreetly into an elegant mounting frame to channel water away.

It has a wind rating of up to 102 km/h and is available in a large range of powder coated colours and architectural 100% waterproof fabrics.

DA approval is also not required to install the Retractable Roof.



Width X Projection	Classic	Shade	Quattro
Single Unit	5500 x 6800	4500 x 7000	4500 x 5500
Multiple Units	16500 x 6800	9000 x 7000	9000 x 5500
Max. Windbreak	700	700	700 / 1000

Sintesi Specs:

Headbox size (h x d):
170 x 230mm

Guiderail dimension
85 x 65mm

Post dimension
115 x 115mm

Standard fabrics
Preconstraint PVC white,
grey, cream
depending on size

Angle of inclination
Minimum 6° – 8° (de-
pending on size)

Motorised
Remote control as stan-
dard

Wind rating
Beaufort 8 -10 (ie.
74km/h – 102 km/h)

Features and Benefits:

- ✓ Create a defined outdoor space
- ✓ Ease of operation
- ✓ 100% waterproof fabrics
- ✓ Enjoy peace of mind with a 5-year warranty
- ✓ Ultimate weather protection throughout the year
- ✓ Motorised operation with wind and rain sensor system

Sintesi Classic

Innovative All-Weather Solutions.

Australians absolutely love entertaining and take great delight in entertaining and relaxing outdoors. With the benefits of a retractable roofing system, you can create an outdoor enclosure that protects against the sun or rain, as well as creating a cosy and private ambience.



Features and Benefits:

- ✓ Stylish, adaptable, and highly functional
- ✓ Concealed operating system when fully extended
- ✓ Suitable for wall, top, bottom, side and end fixing
- ✓ Suitable for free-standing installations
- ✓ Integrate light, heating and sound systems
- ✓ Motorised operation with wind and rain sensor system

Sintesi Quattro

Timelessly Classic Design

The Sintesi Quattro is a free-standing unit, using either the Sintesi Classic or Sintesi Ghost operating systems. The Quattro provides a stylish architectural finish to any outdoor pavilion area.

With integrated front gutter and drains, the structure can operate with a single or double pitch.



Features and Benefits:

- ✓ Creates a stylish, architectural finish
- ✓ Sleek and minimal exterior; no visible fixings
- ✓ Fitted with 4 or 6 columns
- ✓ Integrated front gutter and drains
- ✓ Can operate with a single or double pitch
- ✓ Can be fitted to a wall or other structure
- ✓ Motorised operation with wind and rain sensor system

Sintesi Shade

The Free-Standing Pergola System

The Sintesi Shade is a free-standing pergola system. The horizontal position of the fabric with no angle of inclination makes it suitable for sun shade and for light rain protection. The free standing system on posts is available in sizes of up to 4.5m x 7m as a single unit, or 9m x 7m as a coupled system.

Integrated Front Gutter and Downpipes

The integrated front gutter and rainwater downpipes housed inside the vertical mounting posts, provide an effective and discrete system, for channeling water away from the roof cover.

Water flows from the front gutter through the downpipes in the columns, and is then discharged at ground level.

Retractable 100% Waterproof Fabric

The pre-constrained waterproof fabric is a high-grade PVC that provides a taut finish when extended.

The innovative drip-proof edge using parachute material welded to the fabric sides, creates a barrier to direct water towards the front gutter.

Contemporary Stylish Design

The Sintesi is stylish and adaptable, as well as being highly functional.

Standard and customised wall mounting plates allow a gradient adjustment from horizontal to a maximum 20° angle. A minimum of 6°-8° angle is required for water drainage.

Guiderail Operation

The carriage operating mechanism is set within the guiderails concealing the mechanism when the fabric is fully extended.

Operating inside heavy duty guiderails enables stable operation of the extension and retraction mechanism within a streamlined design.



Features and Benefits:

- ✓ Free-standing pergola system
- ✓ Retractable
- ✓ Ideal for outdoor spaces or over swimming pools
- ✓ Suitable for sun shade and for light rain protection
- ✓ Motorised operation with wind and rain sensor system



Sundream Conservatory Awnings

Versatile and Robust Awning

Stop Sun & Heat

The Sundream Conservatory Awning is especially designed for mounting above glass roofs or pergolas, to stop sun and heat before they reach the interior of your home or business.

The Watson Sundream is a highly versatile and robust awning which runs in sturdy aluminium guide tracks designed for durability and maintenance-free operation. The design allows for a variable steeraround function, that enables the awning to turn corners of up to 90 degrees.

Steeraround Design

Steeraround design is ideal for pergolas and for A-frame glass conservatories. The design can be customised to suit a wide range of structures.

The Sundream Conservatory Awning can also be supplied with an integrated mounting post, rail (for sizes up to 36m²), and light rain gutter system.

The integrated frame is supplied with two front posts and headbox mounting plates. Additional back posts are also available.



CASSETTE
HEADBOX



STEERAROUND



INTERNAL
SPRINT



FRONT
RAIL



Specifications:

Dimensions (H x D):
170mm x 230mm

Total Height:
213mm

**Width Single Unit/
Coupled:**
1.4m - 6.5m / 24m

Projection:
To 6.5m

**Max Single Unit/
Coupled:**
39m² / 120m²

**Motorised with
remote:**
Includes handheld remote control

Features and Benefits:

- ✓ Prevents excess heat and light from seeping indoors
- ✓ Sturdy and durable
- ✓ Maintenance-free
- ✓ Steeraround function for enhanced flexibility
- ✓ Integrated frame and gutters for better functionality
- ✓ Extension legs for custom height



The Opening Louvre Roof

Motorised Sun & Shade Control



WATSON LOUVRE ROOF SYSTEM CONFIGURATIONS

Louvre Blade Profile

Gutters

Surround Beam

Post & Base Plate

A Flat straight lines giving your home a modern look.

B Wide Gutter to reduce overflow

C 250x50 Surround Beam & Corner Bracket

D 120x120x8mm thick heavy duty Posts and Base Plates


Rubber Seal for water tightness

4 Post | 0 Wall - Roofing System 2 Post | 1 Wall - Roofing System 1 Post | 2 Wall - Roofing System 0 Post | 3/4 Wall - Roofing System

POWDER COAT TO ANY DULUX COLOURS* SURCHARGES APPLY

STANDARD COLOURS WHITE MONUMENT

10 YEAR WARRANTY*



Features and Benefits:


- ✓ Strong Construction - Structural profile thickness of 3-8mm
- ✓ Quality Material - High grade aluminium and stainless steel componentry
- ✓ Durable Powder Coat - Available in 5 durable powder coat colours
- ✓ Sun and Shade Control - 130° blade rotation
- ✓ Smart Technology - Rain sensors, LED lighting and APP control available
- ✓ Integrated Water Drainage Pipes - To manage water overflow

Alpha SRS Outdoor Blinds

Take Control of Heat, Light, and Privacy In Your Outdoor Spaces

The weather should never decide when you have an outdoor gathering. The Alpha SRS provides dependable protection during Winter, Summer, and everywhere in-between.

Custom-make your Alpha SRS awning to fit any space, and essentially add an extra room to your home - perfect for enclosing a courtyard, patio, or balcony.



Specifications:

Maximum width:
5 metres

Maximum drop:
4 metres

Features and Benefits:

- ✓ Smooth, ease-of-operation
- ✓ Specially engineered Australian componentry
- ✓ Straight-drop awning
- ✓ Sits within the sides of the frame
- ✓ Prevents light gaps
- ✓ Privacy anti-glare
- ✓ Lasting weather protection
- ✓ Innovative Alpha Light Lift technology


Watson Xtreme

Magnetic Retension System

Magnetic Performance

- ✓ Rare Earth Neo Neodymium Magnets. Lifetime Warranty
- ✓ Consistent force across the full drop
- ✓ Fabric track system floats within the side channel, allowing the fabric to move whilst under wind pressure
- ✓ Superior fabric retention to ensure smooth flat fabric finish
- ✓ Keder side spline (4mm) provides re-feed capability (2 colours). Motorised operation only.

Enjoy a clean aesthetic via contemporary design and experience the Neodymium difference as well as magnetic, and self-correcting realignment.



Specifications:

Minimum Width:
1000mm (1 metre)

Maximum Width:
6500mm (6.5 metres)

Minimum Drop:
1000mm (1 metre)

Maximum Drop:
4000mm (4 metres)

U Channel:
Allows 20-70mm build-out

Neodymium:
2 sizes: 25mm 17kg of force & 50mm 37kg of force

Headbox:
Sized at 150mm x 150mm
Incorporated 20mm Pile brush

Features and Benefits:

- ✓ Ultra wide limitations – widths up to 6.5 metres and drops up to 4 metres
- ✓ Australia's first and only magnetic retention system
- ✓ Overcomes awning performance challenges such as sagging skins, blowouts, jamming and on-going service calls
- ✓ Motorised with Merger; paired with Neo Smart home automation


Zipscreen Awnings

Ultimate Screening For Any Outdoor Area

Direct sunlight on your windows is the greatest source of unwanted heat in the home.

Effective external shading can solve this problem by blocking up to 90% of that heat. By shading a building and creating an effective barrier between the sun and your window, you can create a cooler indoor environment and save energy, whilst enjoying some natural light and a view too.

Adjustable shading systems can offer the best of both worlds, reducing heat build-up in Summer, and enabling warm Winter heat when the system is retracted.



Specifications:

Standard Zipscreen:

Width: 5.8m - 19ft

Drop: 4m - 13ft

Max Area: 14m² - 150ft²

Zipscreen Extreme:

Width: 7m - 23 ft

Drop: 5m - 16ft

Max Area: 35m² - 377ft²

Features and Benefits:

- ✓ Specially designed for alfresco entertaining areas such as pergolas, verandas, and balconies
- ✓ Privacy and protection
- ✓ Ideal for private and commercial uses
- ✓ Sleek, secure, durable alternative

Window Awnings

Keep Warm In Winter & Cool In Summer

WATSON Window Awnings have been designed by Australians specifically for our lifestyles, ensuring design, styling and quality were top of mind. Our modern awnings are suited to all exterior buildings.

Featuring various awning styles, including Auto-Lock, Fixed Guide, Multistop, Cable Guide, Straight Drop, Side Retention System, Pivot Arm and Variant Pivot Arm, you can personalise the perfect awning to suit your external shading requirements in 5 easy steps.



Automatic Awning

This awning is adjusted by guiding the arms up and down the rails. It will automatically lock in, when the arms are released in a 90 degree position.

Fixed Guide Awning

These awnings have a guide on the bottom bar which runs up a metal rod on either side, giving the awning the flexibility of stopping at any point without having to secure the base rail.



Pivot Arm

Perfect for outward opening windows, to circulate air flow and reduce direct sunlight into the home.



Variant Pivot Arm

Similar to standard pivot arm, however the fixing point is variable, allowing the fabric to be projected at different angles to suit different usage.



Straight Drop

Sleek and simple with a modern aesthetic, suitable for traditional window frames.



Cable Guide

The ultimate industrial look which gives you privacy and allows ventilation.




Multi-Stop

The Multi-Stop is designed to stop at any point you wish, giving more control when adjusting for your outdoor area.

Step 1

Choose a head box option

For a modern contemporary look, the Alpha Awning Series offers two designer headbox options, as well as an open Roller Option:




Closed Headbox

Protects the fabric from the elements; enhances longevity



Open Headbox

Increased air circulation; minimises heat build-up



Open Roller

Ideal choice to reduce cost

Step 2:

Choose an operating option

The Alpha Awning Series has been developed to offer maximum flexibility for operation. You have a choice of the following:

- ✓ **Manual operation:** The geared crank ensures easy operation that is not dependent on your strength.
- ✓ **Automation:** Motorisation lets you control your awning with the touch of a button



Step 3

Choose your fabric

There are numerous choices of awning fabrics on the market. When selecting your fabric keep the following in mind.



Air flow

If you're enclosing a verandah or patio, consider if you still want to have a nice cool breeze coming through. If so, ensure you select an open weave fabric with around 10% openness.

Privacy and view-through

Our open-weave fabrics allow for one-way view only. Enjoy fantastic views through the day, with UV protection and shade while still maintaining privacy.

Durability

Our fabrics have Duraguard Protector treatment, which resists stains and protects against mildew and fungi build-up.

Colour fastness

Our fabrics are manufactured for Australian conditions and has excellent fade resistance. You can be sure the fabric will remain the colour you selected for many years to come.

Together with our fabric partners **Shaw Performance Fabrics**, **HVG**, **Vistaweave** and **Ricky Richards**, we're proud to offer the widest selection of awning fabrics in Australia - also **Greenguard Gold certified!**

We strictly keep away from cheap alternatives that smell like petrol fumes when it gets hot.



Cable Guides

Keep The Heat Outside Of Your Home

Features and Benefits

- ✓ Sun/UV protection
- ✓ Air flow
- ✓ High tensile cables; perfect for coastal applications

Everview external screen fabric.

Features 22 colours.

The versatile 2x2 weave construction provides a great symmetrical finish, and has an additional key functional benefit of being able to railroad the fabric.

Vistaweave Max (0% Mesh)

With a 100% view-blocking mesh, this fabric comes with a tighter weave to provide enhanced privacy, solar protection and resistance to rain.

Bottom rail end caps

Provides a neat, clean finish for the drop awning giving it a complete, premium look. By floating in and out of the bottom rail, the awning operates smoothly without putting pressure on the cable.

Open Roller

Opt for a modern industrial look by exposing the componentry. When you eliminate the aluminium headbox profiles, cost also significantly reduces.



Pivot Arm

Adjust The Cool Shade The Way You Want

Features and Benefits:

- ✓ Allows air to flow behind the material
- ✓ Limits hot air seeping through windows
- ✓ Adjustable

Open Headbox

Increases air circulation around the roller. This minimises heat build up and reduces sticking on clear PVC skins. Open Headbox is ideal for the Pivot Arm Awning.

(Can also be used in front rolled Cable Guide and Straight Drop Awnings.)

Front Rail

Designed to have the same curve as the Straight Drop bottom rail. This creates flexibility in being able to mix and match the awnings throughout your home, as it holds the design consistency.

The heavy duty spring in the Pivot Arm provides excellent fabric tension, even with awning widths up to 5 metres. The arms are a modern anodised finish that complements the standard Silver Pearl hardware colour. Custom powder-coated colours are also available.

Pivot Arm Feature

Fabric is projected off the window which allows air to flow behind the awning. Windows can be open whilst the awning is projected.



Carbo Lite

Stylish UV Protection To Enhance Your Home

Established in Sydney in 1991, Carbolite's louvres and awnings are especially designed to withstand the harsh Australian climate. Made from cutting-edge materials, they'll protect you from the elements while enhancing the look of your property.





Bull-nosed Window Awning

For a more traditional, colonial look. The curve is created by heat forming a sheet around a barrel attachment, which results in a perfect bend when cooled. Perfect for areas with limited head height, as it requires minimal fall to clear a door or window. Gutter can be attached to the Bull-nose for water run-off. Powder coating available in a range of colours.



Flat Window Awning

Sleek, simple, and suitable for both window and door coverings. Flat awning provides rain and UV protection without reducing amount of natural light. Can be set at any angle - simply click in the rear channel and find the right pitch to suit your needs. Frame and bars available in a variety of colours. Waterproof channel to the wall prevents water leakage.



Cantilevered Window Awning

Welded directly to a post bracket. Gives the support arm enough strength to extend an awning up to 2600mm from the wall. Aluminium polycarbonate system; prevents oxidation and rust build-up. Low maintenance. Great for large entertaining spaces.



Louvres

Available in a range of designs. Choose a welded cantilever, or an awning supported by two arms. We have Privacy Screens with horizontally stacked slats: simple to install and come ready-made. Window Shades have angled blades rather than flat; can either sit flush against the window or off-set with brackets.

Aluminium Shutters

Sleek, Weatherproof Protection

Aluminium shutters have been designed as modern, functional shutters which are aesthetically appealing for both exterior and interior use.

They are constructed with a chip-resistant powder coating, making them span wider areas than traditional shutters, thereby giving a superior view.

Aluminium shutters can be adapted to any form of installation and are easy to clean. A stylish yet affordable solution, particularly for patios and balconies.



Specifications:

Weather resistant:
Rain, wind and sun

Blade sizes:
114mm, 89mm and 64mm

Features and Benefits:

- ✓ Specially designed for alfresco entertaining areas such as pergolas, verandas, and balconies
- ✓ Privacy and protection
- ✓ Ideal for private and commercial uses
- ✓ Sleek, secure, durable alternative

Roller Shutters

All-In-One Solution for Protecting and Securing your Home

Roller shutters are the all-in-one solution you need for protecting and securing your home without compromising on roadside appeal. This multi-functional product is not just a pretty face. It provides security along with comfort and insulation. Roller shutters allow you stay warm in Winter, while also keeping the cool air inside your home during Summer.

Their robust manufacturing will keep intruders away from your home, block unwanted noise from outside and protect you and your family against bushfires too. With a full range of colours to suit the existing structures of your home, roller shutters can be perfectly matched to any requirement.

Ease of Operation:

For your convenience and comfort, all roller shutters can be operated with a crank, solar system or a simple push button which runs on a battery-operated, motorised control system.

Energy Saving:

By blocking the sun, heat, and cold air directly entering your house, roller shutters can substantially reduce the usage of energy and also keep your home cool in Summer and warm in Winter.

Safety and Privacy:

You can open or shut the shutters fully to suit your privacy needs. The robust structure of shutters keeps intruders away from your home, blocks unwanted noise from outside and protects against bushfires.

Available in different sizes:

42mm Double Line 42mm Single Line

36mm Extruded 55mm Wide span

50mm Extruded Vision



Features and Benefits:

- ✓ Extra security against unwanted guests and protects windows from accidents
- ✓ Perfect for every home & every season
- ✓ Reduces heat gain up to 90% in Summer and heat loss up to 70% during Winter
- ✓ Australian made quality - 5 year guarantee
- ✓ More control over light and sound - reduces noise by up to 50%
- ✓ Superior paint finish in 15+ colours - Ideal for the harsh Australian sun



Crimsafe

Stylish security for every home

If it's not Crimsafe, it's not 'crim safe'.

Why choose Crimsafe? When it comes to the safety of you and your family, there should be no compromise. Crimsafe is the strongest security screen on the market, providing you with safety and security for your home plus so many other benefits. With a flexible range of products and styles, there's a Crimsafe option to suit every home.



Doors:

Crimsafe has a wide range of door options to suit every home décor and every size and style of opening.

Hinged Doors: Secure the main entry points of your home. Allows light and air to flow naturally.

Sliding Doors: Single, double or triple sliding security screens can secure small or large openings. No need for bars and grills. Increases airflow and gives a sense of open space.

French Doors: Double French Door security screens have been designed to secure your doors, without detracting from their visual appeal.

Bi-Fold And Stacking Doors: Ideal for very large openings, such as onto a large balcony, patio or courtyard. Hinged concertina-style, folding back on themselves neatly. Stacking doors have sliding panels that stack in front of each other.



Windows And Emergency Exits

Crimsafe has a flexible range of installation methods to suit any size or type of window, including fixed, hinged, casement-style, sliding windows or louvres.

Fixed Window Screens: Non-moving panels. Best option for securing louvres or sash windows, provided these windows do not form part of an emergency exit procedure.

Hinged Window Screens: Hinged along their sides or top to swing outward or inward. Ideal for single/ multi-panel sliding windows, double-hung windows, single and multiple hoppers, casement windows, louvres, and fixed and sliding combinations.

Sliding Window Screens: Single, Double or Triple sliding. Installed on the inside/ outside of sliding windows, or the inside of casement windows.

Emergency Exits: Designed Safe-S-Capes® Keyless one-touch emergency exit system. Safe-S-Capes® can be hinged or sliding.



Outdoor Areas:

Australians love spending time outdoors and for many of us, an outdoor entertaining area is a must.

Pool Fencing: Alternative to traditional pool fencing. Clear views through the mesh. Strong secure barrier to comply with pool safety requirements.

Patio Enclosures: Reduces solar heat by up to 53%. Filters up to 62% UV rays. Can reach from floor-to-ceiling, and can be curved or bent to form roofs and corners.

Apartments:

Burglars target high occupancy areas, and apartment buildings are no exception.

Crimsafe applications for apartments include:

- ✓ Main entry doors
- ✓ Balcony doors
- ✓ Windows
- ✓ Emergency exit windows
- ✓ Storage areas
- ✓ Courtyard enclosures

Crimsafe Ultimate And Regular:

Crimsafe Regular is our original range, and has set the standard in security screen strength and design. It continues to be the baseline for Crimsafe's commitment to exceptional quality and durability. Crimsafe Ultimate takes our products to the next level of security, strength and style. Crimsafe Ultimate uses more screws in the fastening system, making it 40% stronger* than the regular product. Additionally, the Ultimate features a clip-on cover that creates a smooth, architecturally designed look.

Crimsafe Features and Benefits:

- ✓ Protects your possessions from theft
- ✓ Protects against hail and storm debris
- ✓ Allows airflow to prevent mould and mildew
- ✓ Provides visibility through the mesh so intruders are more likely to be detected

Enjoy Comfortable Temperatures In Your Outdoor Spaces All Year Round...

Contact us

watsonblinds.com.au

Canberra Showroom:

73 Wollongong Street,
Fyshwick ACT 2609
Tel: 02 6280 4443
support@watsonblinds.com.au

Batemans Bay Showroom:

34B Orient Street,
Batemans Bay, NSW 2536
Tel: 02 4409 4006
bb@watsonblinds.com.au

Shoalhaven Showroom:

118 Kinghorse St
Nowra NSW 2541
Tel: 02 4418 1100
shoalhaven@watsonblinds.com.au

Wagga Showroom:

5 Copland Street,
Wagga Wagga NSW
Tel: 02 6931 6440
waggawagga@watsonblinds.com.au

Tweed Coast Showroom:

1/91-97 Minjungbal Drive
Tweed Heads South, NSW 2486
Tel: 07 5625 2700
tweed@watsonblinds.com.au

PRODUCT  REVIEW
.COM.AU

 4.8